


Heavy rains and mudslides in the Central Andes of Peru: March 23, 2015

Victoria Calle Montes

UNALM- PERU



José Manuel Galvez

NOAA - EEUU




South American Desk - April 2015

Heavy rains and mudslides in the Central Andes of Peru during March 23 2015.

Objective

Identify a synoptic model and key meteorological parameters associated with the heavy rains in the Central Andes of Peru during March 22 and 23 2015, which triggered several mudslides.

Geographic location



Cobertura vegetal

Suelo SIN cobertura vegetal, óptimo para aluviones

Cobertura vegetal invernal:lomas

Planicie costera

1.- Introduction

Unusually heavy rains occurred in the Central Andes of Peru during the 22-23 of March 2015. These rains lead to several mudslides that lead to 8 dead, 6 missing, 25 injured and 250 families affected/displaced half-hour away from Lima.



Mudslides In the Andean Region:

Huayco ó huaico comes from the quechua “**wayqu** ”, which means creek.

A huayco is a violent flood where a large amount of material from the slopes is collected and transported by water down the creek into the valleys.

Soil type

Barren. Mixture of sand, clay and rocks.



Mudslides in Chosica (population 170 000 hab) Afternoon of March 23, 2015



Warning Communication Process

Weather Service warns “Civil Defense” (Emergency Management)




**March 20, 2015
3 days in advance**

SENAMHI informs that the rains over the western slopes of the Andes will continue, being the most intense over the Lima region. Furthermore, isolated hailstorms and strong winds are expected in areas over 3500m (~11500ft)



Civil Defense warns majors



Majors warn population



2.- Materials




- GFS Data March 18-23, 2015
- Satellite Imagery (CPTEC, RAMSDIS)
- Weather station data from Peru (Weather Service or Servicio Nacional de Meteorología e Hidrología – SENAMHI).
- Wingrids

3.- Variable Analysis (Forecast Funnel Method)



- Low-level convergence (CB)
- Upper level divergence (UD)
- Humidity: PWAT , r , HR, SSTs (indirectly)
- Stability: GDI, K
- Trigger: ciclo diurno (breeze convergence)

4.- Results

24-hr Rainfall March 23 Ending Mar 24 7am LST





46mm/5 days
Climatology:
~60mm/yr



Heaviest rains
14-21 LST


Sea Surface Temperature warming



High temperatures and dewpoints in Lima and increased rainfall in Chosica

Temperatura y rocío en Miraflores, Lima, Peru durante la Ola de Calor del 17-24 de Marzo de 2015


Lluvias en Chosica
18mm




Inicio de la ola de calor

Td > 22

IR4 Satellite March 22, 2015



IR4 Satellite March 23, 2015



Low-level convergence migrated towards the coast (west) during rainy days


Section: XSCT -14 82 -11 74.5						
	Corrida 1deg	Corrida .25deg	Corrida .25deg	Corrida .25deg	Corrida .25deg	
Analisis de Convergencia Nivel Bajo 1pm	Mar1800	Mar1800z	Mar1900z	Mar2000z	Mar2100z	
18-mar	-5	-16				-16.00
19-mar	-5	-12	-16			-14.00
20-mar	-3	-16	-15	-16		-15.67
21-mar	-4	-16	-12	-12	-12	-13.00
22-mar	-3	-24	-12	-20	-25	-20.25
23-mar		-16	-12	-16	-16	-15.00
24-mar			16	12		-14.00
				-8		-8.00
Posicion del eje de convergencia						
18-mar		-76.3				-76.30
19-mar		-76.4	-76.25			-76.33
20-mar		-76.4	-76.4	-76.3		-76.37
21-mar		-76.5	-76.4	-76.3	-76.4	-76.40
22-mar		-76.5	-76.45	-76.5	-76.5	-76.49
23-mar		-76.4	-76.45	-76.4	-76.45	-76.43
24-mar			-76.4	-76.3		-76.35
Profundidad				-76.25		-76.25




Normal

Rainy Period

March 30
18 UTC
(Example)




March 22
18 UTC



Mixing ratio and winds (700-850 hPa layer)




Mar 22 7pm LST

Mar 23 7pm LST




Tropical moisture front, well defined in the 700-850 hPa layer was the essential contribution to the heavy rains in Chosica. The front passed around 7am LST, 10 hours before the event.

PWAT 22 y 23 de marzo



Normal

GDI (Galvez-Davison Stability Index)




March 18th, 18 00 UTC

EVENT ONSET

Lineas Blancas : flujo del viento 400 - 250 hPa.

Lineas Negras : flujo del viento 1000 - 850 hPa.


Coloración del amarillo al rojo (inestabilidad) : GDI.



March 23rd, 18 00 UTC


PEAK AND END

Westerly Winds




Increase in 800 hPa Relative Humidity in 24hrs

Mar 22, 19LST



Mar 23, 19LST




Increase in RH at cloud layer

Conclusions

- The tropical moisture front in the 700-850 hPa layer was the main predictor in the generation of heavy rains in the Chosica region. The front passed at 7am LST of March 23rd 2015, 10 hours before the event.


Mixing ratio and wind in the 700-850 hPa layer

Mar 23 7pm LST



Relevant factors

Mar 23, 7PM_{LST}



Warm ocean generates warm, moist and unstable air mass over the coast and western slopes

TSM_{anom} > 3°C

Moisture front: advection of moist air mass from the NNW with peak at 800 hPa

r₈₀₀ > 11g/kg

Weak (<10kt) wind regime over coast/slopes favors diurnal breeze and moisture convergence.

Inversion at ~650hPa reduces mixing with dry air aloft and stimulates saturation in/over the BL

Clouds: Ns with isolated embedded Cb

Role of the Soil


Several days with rain on soil with NO vegetation cover:

- (1) Weakened the soil making it prone to mudslides
- (2) Generated soil moisture, local enhancement of water vapor often absent.

NORMAL


Rimac Basin Cross Section

Chosica
900 mASL
3000 ft



Mar 23, 2015

Chosica
900 mASL
3000 ft



Muchas Gracias!

Thank you!