

# Experimental Probabilistic Winter Storm Severity Index (PWSSI) Product Description Document (PDD)

October 2022

## Part I - Mission Connection

**A. Product Description** – The experimental probabilistic WSSI (PWSSI) for Days 1-7 is a graphical depiction (Figure A) created through the use of Geographic Information Systems (GIS) by using the probabilistic winter precipitation forecast ([PWPF](#)) gridded information from the Weather Prediction Center ([WPC](#)) for winter weather elements and combining those data with non-meteorological or static information datasets (e.g., climatology, land-use, urban areas). The experimental PWSSI provides a classification of the likelihood of potential societal impacts due to expected winter hazards and their distribution using the following terminology: “minor,” “moderate,” “major,” and “extreme” (Figure A).

<b>Potential Winter Storm Impacts</b>	
	<b>Minor Impacts</b> <b>Expect a few inconveniences to daily life.</b> <ul style="list-style-type: none"><li>• Winter driving conditions. <b>Use caution while driving.</b></li></ul>
	<b>Moderate Impacts</b> <b>Expect disruptions to daily life.</b> <ul style="list-style-type: none"><li>• Hazardous driving conditions. <b>Use extra caution while driving.</b></li><li>• Closures and disruptions to infrastructure may occur.</li></ul>
	<b>Major Impacts</b> <b>Expect considerable disruptions to daily life.</b> <ul style="list-style-type: none"><li>• Dangerous or impossible driving conditions. <b>Avoid travel if possible.</b></li><li>• Widespread closures and disruptions to infrastructure may occur.</li></ul>
	<b>Extreme Impacts</b> <b>Expect substantial disruptions to daily life.</b> <ul style="list-style-type: none"><li>• Extremely dangerous or impossible driving conditions. <b>Travel is not advised.</b></li><li>• Extensive and widespread closures and disruptions to infrastructure may occur.</li><li>• Life-saving actions may be needed.</li></ul>

Figure A: Experimental Probabilistic Winter Storm Severity Index impact definitions.




Figure B: Experimental Probabilistic Winter Storm Severity Index showing the likelihood of moderate Overall Winter Storm Impacts. Valid 18Z Thursday, April 14, 2022.

**B. Purpose** – The experimental Probabilistic WSSI has been developed with two main purposes:

1. Serve as a tool to assist NWS operational forecasters in maintaining situational awareness regarding the possible significance of winter weather-related impacts based upon the PWPF input thus informing the winter watch/warning decision process.
2. Enhance communication with external partners, media, and the general public of the likelihood of potential societal impacts due to expected winter hazards and their geographical

and temporal distributions.

The current [operational deterministic WSSI](#) is based upon National Digital Forecast Database (NDFD) single value forecasts. Informed by ensemble information, the experimental PWSSI allows for detailing the likelihood of potential impacts (i.e., "what is my chance of reaching a moderate impact?"). The PWSSI output will convey a range of possibilities of impacts thus enhancing preparedness and decision making as they pertain to winter weather (Figure B).

C. Audience – The experimental PWSSI is intended for use by 116 NWS WFOs in the contiguous U.S. (CONUS) and by WPC staff as an enhancement to decision support services, as well as for use and evaluation by NWS partners, the media and the general public.

D. Presentation Format – The experimental graphics are available for the CONUS. The page depicts local and national views of the experimental PWSSI which includes disclaimers appropriate for experimental products under NWS policy. The webpage is updated every 12 hours at approximately 0200 Coordinated Universal Time (UTC), 0500 UTC, 1400 UTC and 1700 UTC. The website is listed below:

[http://www.wpc.ncep.noaa.gov/wwd/wssi/prob\\_wssi.php](http://www.wpc.ncep.noaa.gov/wwd/wssi/prob_wssi.php)

E. Feedback Method – Feedback will be gathered from representatives from federal, state and local government partners during routine customer review meetings, as well as from a web-based survey for the general public and other users:

[https://www.surveymonkey.com/r/ExpProbabilisticWSSI\\_2022-2023](https://www.surveymonkey.com/r/ExpProbabilisticWSSI_2022-2023)

Comments or questions regarding the experimental PWSSI can be addressed to:

James Nelson  
Branch Chief - Development and Training  
National Weather Service - Weather Prediction Center  
College Park, MD  
Email: [james.a.nelson@noaa.gov](mailto:james.a.nelson@noaa.gov)  
Phone: 301-683-1493

Sarah Perfater  
Winter Weather Program Manager  
NWS - Analyze, Forecast, and Support Office, Forecast Services Division  
NWS Headquarters - Silver Spring, MD  
[Sarah.Perfater@noaa.gov](mailto:Sarah.Perfater@noaa.gov)

## **Part II – Technical Description**

a. Format and Science Basis – The experimental PWSSI output is via GIS display, though the core calculations are done in a Linux environment. The following datasets are used as part of calculating the experimental PWSSI.

WPC’s Winter Storm Ensemble (WSE) Elements consisting of:

- 6-hour snow accumulation
- 6-hour ice accumulation
- 6-hour precipitation accumulation (Quantitative Precipitation Forecasts)
- 6-hour Max Wind gust
- 6-hour Temperature
- Total snowfall
- Total ice accumulation
- Maximum wind gust within each 6-hour period
- 6-hourly snowfall accumulation rate
- 6-hourly snow-liquid ratio
- Average snow-liquid ratio

Non-forecast datasets include:

- Urban area designation
- Land-use designations
- National Oceanic and Atmospheric Administration (NOAA)/National Centers for Environmental Information (NCEI) gridded annual snowfall climatology

The current deterministic operational WSSI consists of a series of sub-component algorithms, each of which use meteorological and non-meteorological data to model predicted severity of specific characteristics of winter weather. Each of the sub-components produce a 1 to 4 output scale value that equates to the potential severity based on the winter weather hazards. The final WSSI value is the maximum value from all the sub-components. The 4 levels are given the following descriptors: Minor, Moderate, Major, and Extreme.

The PWSSI uses an ensemble of meteorological data as input into the sub-component algorithms to arrive at a range of severity scenarios for each sub-component. The ensemble of severity levels is used to generate a probability of reaching each impact severity level of the sub-components. This probability of reaching a severity level for each sub-component will be displayed on the web page. **A PWSSI value for each constituent is calculated for each WSE member; probabilities are defined as a percentage of available members that yield a given PWSSI outcome.**

The specific PWSSI sub-components are defined as:

Snow Rate Index	Indicates potential impacts due to snowfall rate. Designated urban
-----------------	--

	areas are also weighted 25% more than non-urban areas. Forecast is available for 168 hours
Snow Load Index	Indicates potential infrastructure impacts (e.g., downed trees/power lines) due to the weight of the snow. This index accounts for the land cover type. For example, more forested and urban areas will show increased severity versus the same snow conditions in grasslands. Forecast is available for 168 hours
Snow Amount Index	Indicates potential impacts due to the total amount of snow or the snow accumulation rate. This index also normalizes for climatology, such that regions of the country that experience, on average, less snowfall will show a higher level of severity for the same amount of snow that is forecast across a region that experiences more snowfall on average. Designated urban areas are also weighted a little more than non-urban areas. Forecast is available for 168 hours
Ice Accumulation	Indicates potential infrastructure impacts (e.g., downed trees/power lines, roads/bridges) due to combined effects and severity of ice and wind. Designated urban areas are also weighted 25% more than non-urban areas. Note that not all NWS offices provide ice accumulation information into the NDFD. In those areas, the ice accumulation is not calculated. Forecast is available for 168 hours
Blowing Snow Index	Indicates the potential disruption due to blowing and drifting snow. This index accounts for land use type. For example, more densely forested areas will show less blowing snow than open grassland areas. Forecast is available for 168 hours

These calculated forecast values are then used for a series of additional calculations to compute individual PWSSI components for each member of the WSE that are categorized internally on a 1 to 4 scale. The membership will be used to produce a probabilistic likelihood of exceeding “minor”, “moderate”, “major”, “extreme”. There will be overall max probabilities for each impact level based upon the probability among all PWSSI components for each grid point at a 5km resolution.

For more information about the PWSSI, please see the [user guide](#).

**b. Availability** -- The experimental PWSSI products will be available through the end of the 2022/2023 winter season via a CONUS view and via a dropdown menu for all CONUS WFOs. An evaluation of both internal and external comments will be conducted during the warm season for consideration in moving toward operational for the 2023/2024 winter season.